



Lavabo Echo 60 - Vasque Echo 60


Echo

Standard

blanco mate blanco brillo



Dimensiones • Dimensions (cm)



Instalación sobre encimera
Installation sur plan de toilette

Válvula • Bonde click-clack

	Válvula clic-clac Bonde click-clack	Inox - Blanco mate	
	Válvula Pop Down Bonde Pop Down	Inox	
	Válvula plana Bonde plate	Inox	

Especificaciones técnicas • Spécificités techniques

	ISO 22196:2007 Certificado antibacteriano Certificat antibactérien		Resistente al choque térmico Résistant au choc thermique		Aptitud para la limpieza Nettoyage facile
	Resistente a los rayos UV Résistant aux UV		Precisión Précision		Resistencia química Résistance chimique
	Durabilidad Durabilité		Material sin sílice Matériel sans silice		Tacto sedoso Toucher soyeux



Echo 60 basin



Echo

Standard

blanco mate blanco brillo



Sizes (cm)



Installation above worktop

Drain



Clic-clac drain

Inox -
Blanco mate



Pop Down drain

Inox



Flat drain

Inox



Technical information



ISO 22196:2011
Antibacterial certificate



Resistant to thermal shock



Cleanability



UV ray-resistant



Precision



Resistance to chemicals



Durability



Material without silica



Silky touch





Lavabo Echo 60 • Waschbecken Echo 60


Echo

Standard

blanco mate blanco brillo



Misure • Abmessungen (cm)



Installazione • Intallation

Valvola • Ablaufsystem

	Valvola clic-clac Klick Klack-Ventil	Inox - Blanco mate	
	Valvola Pop Down Pop-Down-Ventil	Inox	
	Valvola piatta Flaches Ventil	Inox	

Specifiche tecniche • Technische spezifikationen

	ISO 22196:2007 Certificato antibatterico Zertifikat zur antibakteriellen Wirksamkeit		Resistente allo shock termico Resistent gegen Temperaturschock		Facilità di pulizia Einfache Reinigung
	Resistente ai raggi UV UV-Beständig		Precisione Präzision		Resistenza agli agenti chimici Vhemische Beständigkeit
	Durezza Haltbarkeit		Materiale senza silice Produkt ohne Silizium		Setoso al tatto Seidiger Touch