



Lavabo Levi Circle XL • Vasque Levi Circle XL



Levi

Standard

blanco mate



Dimensiones • Dimensions (cm)



Instalación sobre encimera
Installation sur plan de toilette

Válvula • Bonde click-clack



Válvula clic-clac
Bonde click-clack

Inox



Válvula de salida libre
Bonde à écoulement libre

Inox



Válvula Pop Down
Bonde Pop Down

Inox



Válvula plana
Bonde plate

Inox



Especificaciones técnicas • Spécificités techniques



ISO 22196:2007
Certificado antibacteriano
Certificat antibactérien



Resistente al choque térmico
Résistant au choc thermique



Aptitud para la limpieza
Nettoyage facile



Resistente a los rayos UV
Résistant aux UV



Precisión
Précision



Resistencia química
Résistance chimique



Durabilidad
Durabilité



Material sin sílice
Matériel sans silice



Tacto sedoso
Toucher soyeux



Levi basin



Levi

Standard

blanco mate



Sizes (cm)



Installation above worktop

Drain

	Clic-clac drain	Inox	
	Free outlet drain	Inox	
	Pop Down drain	Inox	
	Flat drain	Inox	

Technical information



ISO 22196:2011
Antibacterial certificate



Resistant to thermal shock



Cleanability



UV ray-resistant



Precision



Resistance to chemicals



Durability



Material without silica



Silky touch



Lavabo Levi Circle XL - Waschbecken Levi Circle XL



Levi

Standard

blanco mate



Misure • Abmessungen (cm)



Installazione
Intallation

Valvola • Ablaufsystem

	Valvola clic-clac Klick Klack-Ventil	Inox	
	Valvola scarico libero Freies Auslassventil	Inox	
	Valvola Pop Down Pop-Down-Ventil	Inox	
	Valvola piatta Flaches Ventil	Inox	

Specifiche tecniche • Technische spezifikationen

	ISO 22196:2007 Certificato antibatterico Zertifikat zur antibakteriellen Wirksamkeit		Resistente allo shock termico Resistent gegen Temperaturschock		Facilità di pulizia Einfache Reinigung
	Resistente ai raggi UV UV-Beständig		Precisione Präzision		Resistenza agli agenti chimici Vhemische Beständigkeit
	Durevolezza Haltbarkeit		Materiale senza silice Produkt ohne Silizium		Setoso al tatto Seidiger Touch